

## SPECIFICATIONS

- ELECTRICAL SUPPLY: 230 Vac – 50 Hz / 120 Vac – 60 Hz
- INTERNAL ELECTRICAL SUPPLY
- All the electrical components are supplied at 24 Vdc, with the exception of the boiler resistances, the pump and the steam ventilator that are at powered by the mains voltage.
- POWER SUPPLY
- 2.35 kW espresso version dual boiler
- WATER SUPPLY
- Fitting connection = 3/4"
- Water pressure = 0.5 – 6.5 bar

## FEATURES


- Cabinet with reinforced structure, door and outer door with structural anodised aluminium profiles and anti-vandal hinges.
- The door with double opening has been designed to make all the branding operations, selection label replacement and payment system assembly easier for operators.
- Door lock with programmable code.
- Mixers and boiler assembly are extractable to make maintenance operations easier.
- The TOUCH 32" version is equipped with a topping products dispenser (chocolate flakes, choco pops, muesli...) to obtain tasty beverages like in a coffee shop.
- Double cup dispenser for various diameters: 600 cups Ø 70-73 mm + 300 cups Ø 80 mm.
- Double cup station rotating drum system removable for easy maintenance.
- New aspiration system with covered bowls to reduce dirty.
- Switching power supply that guarantees total stability of the instant product dose and complete electric safety protections.
- Standard multi-protocol electronics.
- Compatible with telemetry.

## PAYMENT SYSTEM

- Compatible with all payment systems available on the market.


VERSIONS LEI700 PLUS 2CUPS	ESPRESSO 1ES-7 DUAL BOILER	ESPRESSO 2ES-6 DOUBLE COFFEE BEAN CANISTER
COFFEE BEAN	1	2
INSTANT CANISTERS (SUGAR INCLUDED)	7	6
INSTANT CANISTERS FOR TOPPING	4 (on the Touch 32" version)	4 (on the Touch 32" version)
DIMENSIONS MM	1830H x 666W x 980D / WEIGHT 214 KG - Total width for opening door operation 1560	

1. Sugar 2. Decaffeinated 3. Instant 4. Coffee beans  
5. Tea 6. Milk 7. Chocolate 8. Insant



ESPRESSO

1. Sugar 2. Tea 3. Coffee beans 4. Coffee 5. Milk  
6. Chocolate 7. Instant 8. Decaffeinated



DOUBLE ESPRESSO

- Can work in master/slave with only one set of payment system on the hot vending machine together with a refrigerated automatic spiral vending machine for the sale of snacks, cans and bottles, increasing selling opportunities.

## PRODUCT CAPACITY

Coffee beans	3.8 kg to 4.5 kg	Lemon tea	5.2 kg
Dou. coffee bean can.	3.5 kg each (x2)	Tea	2.4 kg
Instant coffee*	1.4 kg	Soup	3.8 kg
Barley	1.4 kg	Inst. cold beverage	4.0 kg
Powder milk	2.2 kg	Sugar	5.2 kg
Whitener	4.0 kg	Spoons	540 pcs.
Chocolate	4.8 kg	Cups**	900 pz.

\* In the double coffee bean canister versions additional decaffeinated canister with 0.34 kg capacity. \*\* The quantities of cups depends of the diameter.

## ACCESSORIES KIT


- Kit clock chip (for energy saving mode and promotional activities).
- Cooling unit for cold instant beverages (power consumption 200 W).
- System for the automatic regulation of the coffee bean grinding that guarantees with the variations of the humidity and the emperature, the best quality of the product dispensed at all times.
- 2 BIB ambient group for dispensing of a drop of syrup on the top of the beverage.
- 2 BIB syrup refrigerated group for delivering cold drinks.

## ENVIRONMENT

- Backlighted lexan with led to reduce energy consumption and with a lifetime greater than neon.
- Compatible with paper cups and wooden spoons.
- Cup sensor to reduce the consumption of plastic cups and to deliver a beverage in a mug.
- Energy Saving Mode to reduce the energy consumption when the machine is in stand by.
- In compliance with **ROHS** and **WEEE**.



# LEI700 PLUS 2CUPS



LEI700 PLUS 2CUPS SMART

## CREAMY ESPRESSO, DELICIOUS FLAVORED BEVERAGES, SMALL OR BIG CUPS, THE MOST COMPLETE TOP RANGE ON THE MARKET.

LEI700 PLUS 2CUPS, automatic vending machine for hot and cold drinks with dual cup dispenser with a capacity of 900 cups. With its many accessories, it is surely the only machine that can meet all tastes.

## USER INTERFACE

- Great modularity with 2 user interfaces to be chosen between:
  - Smart:** touchscreen saw technology selection panel (surface acoustic wave), with 30 wide backlighted selections, 4 pre-selections and a 12 buttons alphanumeric selections keypad.
  - Touch:** monitor 32" with touch screen technology - multimedia (video).
- Customizable sugar dosage.
- End selection acoustic signal.
- 32 digit alphanumeric LCD display.
- 2 sizes of cups.
- Antivandal coin introduction.
- Motorized cup station door locked in stand by and delivery mode.
- Cup station enlightened.
- In compliance with standard of access for disabled people.

**Bianchi Vending**

Bianchi Vending SpA · info@bianchivending.com  
Corso Africa 2/3/9, 24040 Loc. Zingonia, BG, Italia  
Tel. +39.035.45.02.111 · Fax. +39.035.883.304

Specifications and technical information given are indicative and may be subject to change without prior notice.



**Bianchi Vending**



GCS PAT®  
GRINDING CONTROL SYSTEM  
(OPTION)



CUP SENSOR  
DETECTION



LED, LOW  
VOLTAGE  
LIGHTING



PATENTED  
ESPRESSO  
GROUP




ENERGY  
SAVING  
MODE  
(OPTION)

# The most comprehensive top range on the market with **touch selection panel and topping kit.**



LEI700 PLUS 2CUPS TOUCH 32"



## Tasty beverages like in a Coffee Shop.

Thanks to the topping kit, LEI 700 PLUS 2CUPS can offer drinks enriched with numerous high-quality products, such as: chocolate chips, choco pops or muesli. In addition, through the dedicated kit, this machine can provide different types of syrup, such as caramel, vanilla and many other delicious flavors.

## Interactive Vending.

- Selection interface with monitor 32" and touch screen technology able to play multimedia contents.
- Appealing and intuitive menu with picture products, descriptions and ingredients for a consumer awareness.
- Digital signage to emphasize the customer experience with the publication of videos, news or special communications.
- Sales promotion: up to 6 preset menu (a hot drink + a snack product) and up to 6 snack products displayed when the machine is combined in Master/Slave with a snack machine.
- Easily management of multimedia contents and configuration thanks to the innovative platform WinConfigTouch of Bianchi, the new Windows application.

## Communication and customization.

- EXTENSIVE OFFER.** Up to 5 different product families can be configured, each associated with up to 6 selections of single items or 6 menus with one beverage and one snack when the machine is combined in master/slave.
- CUSTOMIZABLE PROMOTIONS.** You can create specific promotions for products, or menus in the case of Master/Slave combinations, making them immediately attractive and selectable.
- NUTRITIONAL QUALITIES.** Selections can be customized by organizing them in product families associated with common nutritional attributes. In each family the user can select the product desired and view all the nutrition information.
- HIGH QUALITY VIDEO.** The LCD technology used in our monitors will accommodate high quality images and promotional or information videos, drawing the user even more powerfully into the consumer experience.



LEI700 PLUS 2CUPS + VISTA L MASTER TOUCH 7"



LEI700 PLUS 2CUPS + VISTA L SLAVE



## SPECIFICATIONS

- ELECTRICAL SUPPLY: 230 Vac – 50-60 Hz
- INTERNAL ELECTRICAL SUPPLY: 0.7 kW
- INTERNAL TEMPERATURE

Equipped with a powered cooling unit (14.28 cm<sup>3</sup>) with enhanced features, and can keep perishable food products at 3° C in the three lower trays. All versions are equipped with health control safety device available on the last three trays and when the electronic sensor detect a temperature above the established safety temperature for perishable food products all food sales will be inhibited.

- COOLING UNIT  
½ HP monobloc with automatic defrost control
- REFRIGERANT GAS: R 134 A

## FEATURES

Different versions that allow the creation of multiple combinations able to satisfy the needs of sales for a wide range of products.

- Versions with lift performance that allows a delicated dispensing of fragile food and non-food products.
- Versions with a powerful lift for the distribution of delicate products.
- Versions with electronic tags for displaying prices, descriptions and promotions.
- Versions with side compartment for storage of refrigerated products.
- Versions with 2 columns for cans or bottles (+60 PET 0.5L bottles and

136 cans).

- From 6 to 7 trays, up to 8 spirals.
- Adjustable tray height.
- Specific tray for triangular sandwiches on the food version.
- Product delivery door locking system, when the machine is in stand by.
- Large window illuminated by led.
- Low-emissivity glaze, no requires heating unit.
- Machine cabinet foamed to ensure complete isolation and prevent leakage with unnecessary energy consumption.
- Door lock with programmable code.
- Automatic self diagnostic control system.
- Refrigeration unit with a powered compressor easily accessible and removable.
- Standard multi-protocol electronics.
- Compatible with telemetry.


## PAYMENT SYSTEM

- Can accommodate all the main payment systems.

## ENVIRONMENT

- Cold unit Class A.
- Energy Saving Mode: possibility to manage the options off Led lights at certain times.
- In compliance with *ROHS* and *WEEE*.

VERSIONS VISTA L MASTER 6 TRAYS	ALPHANUMERIC SELECTION KEYPAD	TOUCHSCREEN KEYBOARD	REFRIGERATED SIDE COMPARTMENT	2 COLUMNS SIDE COMPARTMENT	LIFT	ELECTRONIC TAGS
6-42 MA COMBI ALFA 6-43 MA FOOD ALFA	✓		✓			
6-42 MA COMBI ALFA LIFT 6-43 MA FOOD ALFA LIFT	✓		✓		✓	
6-42 MA PLUS COMBI ALFA 6-43 MA PLUS FOOD ALFA	✓			✓		
6-42 MA PLUS COMBI ALFA LIFT 6-43 MA PLUS FOOD ALFA LIFT	✓			✓	✓	
6-42 MA PLUS COMBI TOUCH 7" LIFT DIS 6-43 MA PLUS FOOD TOUCH 7" LIFT DIS		✓		✓	✓	✓
6-42 MA COMBI TOUCH 46"		✓	✓		✓	
6-42 MA COMBI TOUCH 46" LIFT		✓	✓		✓	
6-42 MA PLUS COMBI TOUCH 46" LIFT		✓		✓	✓	
DIMENSION MM	1830H x 1010W x 950D / WEIGHT 290 KG					
FOOD VERSION 43 SEL./351 PROD.	COMBI VERSION 42 SEL./380 PROD.					



# VISTA L

MASTER  
Standard version or with lift



VISTA L MASTER TOUCH 7" WITH LIFT

## TECHNOLOGY AND HIGH LEVEL OF SERVICE.

VISTA L MASTER, automatic spiral refrigerated 3° C vending machine for the sale of snacks, confectionary, sandwiches, yogurts and other fresh perishable foodstuffs, cans and bottles. A top range with innovative technologies to provide flexibility and high level of service. Available in different versions: Lift, Touch 7" or 46" to fit all needs.

## USER INTERFACE

- Attractive design, door with extruded aluminum frame.
- Stainless steel alphanumeric selection keypad with 12 push buttons.
- 32 digit graphic LCD display.
- Touch version 7" or 46", keyboard with touchscreen technology Multimedia (video).
- Standard coin introduction system.
- Pull product delivery area illuminated in picking phase product.
- Versions with a powerful lift for the distribution of delicate products.
- Products drop sensor.

**Bianchi Vending**

Bianchi Vending Spa · info@bianchivending.com  
Corso Africa 2/3/9, 24040 Loc. Zingonia, BG, Italia  
Tel. +39.035.45.02.111 · Fax. +39.035.883.304

Specifications and technical information given are indicative and may be subject to change without prior notice.



**Bianchi Vending**



LED, LOW VOLTAGE LIGHTING



COOLING UNIT CLASS A



LIFT (LIFT VERSION)



PRODUCTS DROP SENSOR



REFRIGERATION 3° (FOOD VERSION)



ENERGY SAVING MODE (OPTION)



TEMPERATURE CONTROL DEVICE

ZD-VISTA L MASTER-ED01/2015/EN

advertendo®

A top range with innovative technologies to provide **flexibility and high level of service.**



VISTA L MASTER TOUCH 46"



VISTA L MASTER TOUCH 7"

## Interactive Vending.

- Selection interface with touch screen technology
- Multimedia: monitor 7" to replace the alphanumeric keypad or monitor 46" full touch to replace the showcase.
- Appealing and intuitive menu with picture products, descriptions and ingredients for a consumer awareness.
- Digital signage to emphasize the customer experience with the publication of videos, news or special communications.
- Multimedia contents and configuration user friendly thanks to the innovative platform WinConfigTouch of Bianchi, the new Windows application.

## Communication and customization.

**EXTENSIVE OFFER.** The vending menu manages up to 6 families of products grouped by type (beverages, sweet snacks, salty snacks...) or according to their characteristics or food category (gluten-free, vegetarian products, energy products...).

**NUTRITIONAL QUALITIES.** In each family the user can select the product desired and view all the nutritional information.

**CUSTOMIZABLE PROMOTIONS.** You can create specific promotions for products making them immediately attractive and selectable.

**HIGH QUALITY VIDEO.** The LCD technology used in our monitors will accommodate high quality images and promotional or information videos, drawing the user even more powerfully into the consumer experience.



LEI700 PLUS + VISTA L MASTER TOUCH 7"

## Technologies.



**Powerful lift** for the distribution of delicate products.



**Electronic tags** for displaying prices, descriptions and promotions.