



LEI600



ECONOMIES AND TECHNOLOGIES ARE NO LONGER INCOMPATIBLE.

LEI600, automatic vending machine for hot drinks with 600 cups capacity. Designed to easily interchange the push-button panel and adapt to different locations.



LEI600 SMART



LEI600 EASY+ ARIA L MASTER

USER INTERFACE

- Great modularity with 2 interchangeable user interfaces:
 - Easy:** standard membrane keypad, with 24 large buttons.
 - Smart:** touchscreen saw technology selection panel (surface acoustic wave), with 24 wide backlit selections.
- Lei 600 can also be easily upgraded to the Touchscreen multimedia 21,5" version thanks to the optional kit.
- Customizable sugar dosage.
- End selection acoustic signal.
- 32 digit alphanumeric LCD displays or optional 7" LCD for sharing images, video and product information.
- Slow falling product dispensing door.

Bianchi Vending



GCS, PAT.®
GRINDING
CONTROL SYSTEM
(OPTION)



CUP
SENSOR
DETECTION
(OPTION)



LED, LOW
VOLTAGE
LIGHTING



PATENTED
ESPRESSO
GROUP



ENERGY
SAVING
MODE
(OPTION)



DISPLAY
LCD 7"
(OPTION)

SPECIFICATIONS

- ELECTRICAL SUPPLY: 230 Vac – 50 Hz / 120 Vac – 60 Hz
 - INTERNAL ELECTRICAL SUPPLY
- All the electrical components are supplied at 24 Vdc, with the exception of the boiler resistances, the pump and the steam ventilator that are at powered by the mains voltage.
- POWER SUPPLY
- 1.80 kW espresso version single boiler
2.25 kW instant version
- WATER SUPPLY: Fitting connection = 3/4"
- Water pressure = 0.5 – 6.5 bar

FEATURES

- Reinforced cabinet with anti-vandal hinges and door lock with programmable code.
- Mixers and boiler assembly are extractable to make maintenance operations easier.
- Standard serpentine kit for tea on all versions.
- Cup dispenser adjustable to various diameters (from 70 to 74 mm) and dispenser for 90 or 105 mm stirrers.
- Instant version also available with 80mm diameter cup dispenser, with a capacity of 400 cups.
- Switching power supply that guarantees total stability of the instant product dose and complete electric safety protections.
- Standard multi-protocol electronics.
- Compatible with telemetry.

PAYMENT SYSTEM

- Compatible with all payment systems available on the market.
- Can work in master/slave with only one set of payment system on the hot vending machine together with a refrigerated automatic spiral vending machine for the sale of snacks, cans and bottles, increasing selling opportunities.

PRODUCT CAPACITY

Coffee beans*	3.80 kg
Decaffeinated coffee	0.70 kg
Barley	0.75 kg
Milk	2.20 kg
Creamer	4.00 kg
Chocolate	4.80 kg
Lemon tea	5.20 kg
Tea	2.40 kg
Soup	3.80 kg
Sugar	5.20 kg
Spoons	600 pcs.
Cups**	600 pcs.

* Fitting an extension can catch up with 4.50 kg.
** Extensible up to 700 pcs.

ACCESSORIES KIT


- Cup sensor.
- Vandal-proof coin introduction.
- Kit clock chip (for energy saving mode and promotional activities).
- System for the automatic regulation of the coffee bean grinding that guarantees with the variations of the humidity and the emperature, the best quality of the product dispensed at all times.

ENVIRONMENT

- Backlighted lexan with led to reduce energy consumption and with a lifetime greater than neon.
- Compatible with paper cups and wooden spoons.
- Option: cup sensor to reduce the consumption of plastic cups and to deliver a beverage in a mug.
- Energy Saving Mode to reduce the energy consumption when the machine is in stand by.
- In compliance with **ROHS** and **WEEE**.


VERSIONS LEI600 EASY / SMART	ESPRESSO 1ES-6 SINGLE BOILER	INSTANT IN-7
COFFEE BEAN	1	-
INSTANT CANISTERS (SUGAR INCLUDED)	6	7
DIMENSIONS MM	1830H x 620W x 770D / WEIGHT 155 KG	

1. Sugar 2. Instant 3. Instant 4. Coffee beans
5. Chocolate 6. Milk 7. Tea



ESPRESSO

1. Soup 2. Tea 3. Sugar 4. Coffee
5. Decaffeinated 6. Chocolate 7. Milk



INSTANT




ARIA L

MASTER/SLAVE

THE BEST VALUE FOR MONEY WHICH HARMONIZES WITH ELEGANCE WITH THE RANGE LEI.

ARIA L, automatic spiral refrigerated 3° C vending machine for the sale of snacks, cans & bottles, sandwiches, yogurts and other fresh perishable foodstuffs; available in master or slave version.



ARIA L MASTER



LEI600 SMART + ARIA L SLAVE

USER INTERFACE

- Elegant design with the door frame in anodized aluminum.
- Wide product delivery area “push” for large products.
- Great versatility of configurations that allows multiple combinations, able to satisfy the different sales requests for a wide range of products.

SLAVE MODELS

- Slave version works together with a machine for hot drinks with a single payment system.
- Alphanumeric keyboard selection is on the hot drinks machine.

MASTER MODELS

- Stainless steel alphanumeric selection keypad with 12 push buttons.
- 32 digit graphic LCD display.
- Standard coin introduction system.

Bianchi Vending



LED, LOW VOLTAGE LIGHTING



ENERGY SAVING MODE (OPTION)



COOLING UNIT CLASS A



PRODUCTS DROP SENSOR



REFRIGERATION 3° (FOOD VERSION)



TEMPERATURE CONTROL DEVICE

SPECIFICATIONS

- ELECTRICAL SUPPLY
230 VAC – 50 HZ
- INTERNAL ELECTRICAL SUPPLY: 0.3 kW
- INTERNAL TEMPERATURE

Combi version: up to +8° C with ambient temperature of 32° C and 65% humidity.

Food version: preset for the preservation of perishable food products as equipped with refrigerator group that can guarantee 3° C in the two lower trays.

All 3° versions are equipped with health control safety device available on the last two trays and when the electronic sensor detect a temperature above the established safety temperature for perishable food products all food sales will be inhibited.

- COOLING UNIT
½ HP monobloc with automatic defrost control
- REFRIGERANT GAS: R 134 A

FEATURES

- Slave models can be combined with 2 machines among hot beverage or snack & food with a sole payment system in the master version.
- Foamed vending machine to ensure complete isolation and avoid unnecessary losses of energy consumption.

- Large window display with led with double glazed glass that shows off the products to maximum advantage.
- Window with anti-condensation resistance.
- Adjustable tray height.
- Specific tray for triangular sandwiches on the food version.
- Door lock with programmable code.
- Anti-theft product delivery door.
- Products drop sensor.
- Standard multi-protocol electronics.
- Compatible with telemetry.

PAYMENT SYSTEM

- Only master models can accomodate all the main payment systems.

ACCESSORIES KIT

Master models: seventh tray kit.

ENVIRONMENT

- Cold unit Class A+.
- Window lighting with LED.
- Energy Saving Mode: possibility to manage the options off Led lights at certain times.
- In compliance with *ROHS* and *WEEE*.

VERSIONS ARIA L	6-4X MA COMBI ALFA STD	6-4X MA FOOD ALFA STD	6-4X SL COMBI	6-4X SL FOOD
MODEL	MASTER	MASTER	SLAVE	SLAVE
SELECTIONS/CAPACITY	42/380	41/367	42/380	42/344
TRAYS/SPIRALS	6/8	6/8	6/8	6/8
DIMENSION MM	MASTER VERSION: 1830H x 850W x 807D -- SLAVE VERSION: 1830H x 700W x 807D			

