

SPECIFICATIONS

- ELECTRICAL SUPPLY: 230 Vac – 50 Hz / 120 Vac – 60 Hz
- INTERNAL ELECTRICAL SUPPLY
- All the electrical components are supplied at 24 Vdc, with the exception of the boiler resistances, the pump and the steam ventilator that are at powered by the mains voltage.
- POWER SUPPLY
- 1.80 kW espresso version single boiler
- 2.35 kW espresso version dual boiler
- 2.25 kW instant version
- WATER SUPPLY: Fitting connection = 3/4"
- Water pressure = 0.5 – 6.5 bar

FEATURES

- Sugar canister, stirrers dispenser, cup dispenser and cup station are on an extractable arm to allow the access to the product canisters and to make the internal maintenance operations easier.
- Door look with programmable code.
- Standard serpentine kit for tea on all versions.
- Cup dispenser adjustable to various diameters (from 70 to 74 mm) and dispenser for 90 or 105 mm stirrers.
- Switching power supply that guarantees total stability of the instant product dose and complete electric safety protections.
- Standard multi-protocol electronics.
- Compatible with telemetry.

PAYMENT SYSTEM

- Compatible with standar change giver. Removable panel for cashless system and banknotes readers installation.
- Compatible with all payment systems available on the market.
- Can work in master/slave with only one set of payment system on the hot vending machine together with a refrigerated automatic spiral vending machine for the sale of snacks, cans and bottles, increasing selling opportunities.

PRODUCT CAPACITY

Coffee beans	4.5 kg
Double coffee bean canister	3.5 kg each (x2)
Lemon tea	5.2 kg
Soup	3.8 kg
Decaffeinated	1.4 kg
Barley	1.4 kg
Chocolate	4.8 kg
Powdered milk	2.2 kg
Sugar	5.5 kg
Spoons	540 pcs.
Cups	700 pcs.

ACCESSORIES KIT


- Cup sensor.
- Kit clock chip (for energy saving mode and promotional activities).
- 7" LCD kit that allows to spread images, video and nutritional information.
- 21,5" multimedia touchscreen and interactive LCD kit.
- Hook inside the door to place products canisters for easy loading.
- Cooling unit for cold instant beverages (power consumption 200 W).
- System for the automatic regulation of the coffee bean grinding that guarantees with the variations of the humidity and the emperature, the best quality of the product dispensed at all times.

ENVIRONMENT

- Backlighted lexan with led to reduce energy consumption and with a lifetime greater than neon.
- Compatible with paper cups and wooden spoons.
- Cup sensor to reduce the consumption of plastic cups and to deliver a beverage in a mug.
- Energy Saving Mode to reduce the energy cunsumption when the machine is in stand by.
- In compliance with *ROHS* and *WEEE*.


VERSIONS LEI700	ESPRESSO 1ES-7 SINGLE BOILER	ESPRESSO 2ES-6 DUAL BOILER DOUBLE COFFEE BEAN CANISTER	INSTANT IN-8
COFFEE BEAN	1	2	-
INSTANT CANISTERS (SUGAR INCLUDED)	7	6	8
DIMENSIONS MM	1830H x 666W x 776D / WEIGHT 167 KG		

1. Sugar 2. Decaffeinated 3. Instant 4. Instant 2
5. Coffee beans 6. Chocolate 7. Milk 8. Tea




ESPRESSO

1. Sugar 2. Decaffeinated 3. Instant 4. Coffee beans 1
5. Coffee beans 2 6. Chocolate 7. Milk 8. Tea



DOUBLE ESPRESSO

1. Soup 2. Tea 3. Coffee 4. Sugar
5. Decaffeinated 6. Chocolate 7. Milk 8. Instant




INSTANT

advertendo®

ZD-LEI700-ED01/2015/EN



LEI700



THE VENDING DESIGN CONCEPT THAT OFFERS MODULARITY, FLEXIBILITY AND COMMUNICABILITY.

LEI700, automatic 700 cups vending machine for hot and cold drinks. Designed for easily change the selection panel and for being suitable for different locations.

USER INTERFACE

- Attractive and modern design with aluminium profiles and backlighted upper lexan.
- Great modularity with 3 interchangeable user interfaces:

Easy: standard membrane keypad with 24 large buttons.

Smart: touchscreen saw technology selection panel (surface acoustic wave), with 24 wide backlighted selections.

Touch: monitor 21,5" with touch screen technology able to play multimedia contents.

- Two push buttons for sugar dosage.
- End selection acoustic signal.
- 32 digit alphanumeric LCD displays or optional 7" LCD for sharing images, video and product information.
- Light path to guide the user during the purchase process: coin introduction, cup station and change giver.
- Wide cup station (high 155mm).
- In compliance with standard of access for disabled people.



LEI700 SMART

Bianchi Vending

Bianchi Vending Spa · info@bianchivending.com
Corso Africa 2/3/9, 24040 Loc. Zingonia, BG, Italia
Tel. +39.035.45.02.111 · Fax. +39.035.883.304

Specifications and technical
information given are indicative
and may be subject to change
without prior notice.



Bianchi Vending



GCS, PAT®
GRINDING
CONTROL SYSTEM
(OPTION)



CUP
SENSOR
DETECTION
(OPTION)



LED, LOW
VOLTAGE
LIGHTING



PATENTED
ESPRESSO
GROUP



ENERGY
SAVING
MODE
(OPTION)



DISPLAY
LCD 7"
(OPTION)



LEI700 TOUCH 21"

A range that never age, upgradable with 3 selection panels to be chosen between **Easy, Smart, Touch.**



The touch revolution.

Touchscreen is the technological solution used in many areas such as ATMs, fast food, smartphone, able to provide to the consumer a new feeling experience.

Interactive Vending.

- Selection interface with monitor 21,5" and touch screen technology able to play multimedia contents.
- Appealing and intuitive menu with picture products, descriptions and ingredients for a consumer awareness.
- Digital signage to emphasize the customer experience with the publication of videos, news or special communications.
- Sales promotion: up to 6 preset menu (a hot drink + a snack product) and up to 6 snack products displayed when the machine is combined in Master/Slave with a snack machine.
- Easily management of multimedia contents and configuration thanks to the innovative platform WinConfigTouch of Bianchi, the new Windows application.

Communication and customization.

- EXTENSIVE OFFER.** Up to 5 different product families can be configured, each associated with up to 6 selections of single items or 6 menus with one beverage and one snack when the machine is combined in master/slave.
- CUSTOMIZABLE PROMOTIONS.** You can create specific promotions for products, or menus in the case of Master/Slave combinations, making them immediately attractive and selectable.
- NUTRITIONAL QUALITIES.** Selections can be customized by organizing them in product families associated with common nutritional attributes. In each family the user can select the product desired and view all the nutrition information.
- HIGH QUALITY VIDEO.** The LCD technology used in our monitors will accommodate high quality images and promotional or information videos, drawing the user even more powerfully into the consumer experience.



LEI700 SMART + VISTA L MASTER TOUCH 7"



7" LCD KIT

On the SMART version, you can replace the alphanumeric 32 digits display with 7" LCD kit that allows you to spread images, video and display product ingredients. A very interesting solution to meet the requirement of the law that requires to inform the consumer of the presence of potential allergens, with a small investment.

SPECIFICATIONS

- ELECTRICAL SUPPLY: 230 Vac – 50-60 Hz
- INTERNAL ELECTRICAL SUPPLY: 0.7 kW
- INTERNAL TEMPERATURE
- Equipped with a powered cooling unit (14.28 cm³) with enhanced features, and can keep perishable food products at 3° C in the three lower trays. All versions are equipped with health control safety device available on the last three trays and when the electronic sensor detect a temperature above the established safety temperature for perishable food products all food sales will be inhibited.
- COOLING UNIT
- ½ HP monobloc with automatic defrost control
- REFRIGERANT GAS: R 134 A

FEATURES

- Different versions that allow the creation of multiple combinations able to satisfy the needs of sales for a wide range of products.
- Versions with lift performance that allows a delicated dispensing of fragile food and non-food products.
 - Versions with a powerful lift for the distribution of delicate products.
 - Versions with electronic tags for displaying prices, descriptions and promotions.
 - Versions with side compartment for storage of refrigerated products.
 - Versions with 2 columns for cans or bottles (+60 PET 0.5L bottles and

- 136 cans).
- From 6 to 7 trays, up to 8 spirals.
 - Adjustable tray height.
 - Specific tray for triangular sandwiches on the food version.
 - Product delivery door locking system, when the machine is in stand by.
 - Large window illuminated by led.
 - Low-emissivity glaze, no requires heating unit.
 - Machine cabinet foamed to ensure complete isolation and prevent leakage with unnecessary energy consumption.
 - Door lock with programmable code.
 - Automatic self diagnostic control system.
 - Refrigeration unit with a powered compressor easily accessible and removable.
 - Standard multi-protocol electronics.
 - Compatible with telemetry.


PAYMENT SYSTEM

- Can accommodate all the main payment systems.


ENVIRONMENT

- Cold unit Class A.
- Energy Saving Mode: possibility to manage the options off Led lights at certain times.
- In compliance with *ROHS* and *WEEE*.

VERSIONS VISTA L MASTER 6 TRAYS	ALPHANUMERIC SELECTION KEYPAD	TOUCHSCREEN KEYBOARD	REFRIGERATED SIDE COMPARTMENT	2 COLUMNS SIDE COMPARTMENT	LIFT	ELECTRONIC TAGS
6-42 MA COMBI ALFA 6-43 MA FOOD ALFA	✓		✓			
6-42 MA COMBI ALFA LIFT 6-43 MA FOOD ALFA LIFT	✓		✓		✓	
6-42 MA PLUS COMBI ALFA 6-43 MA PLUS FOOD ALFA	✓			✓		
6-42 MA PLUS COMBI ALFA LIFT 6-43 MA PLUS FOOD ALFA LIFT	✓			✓	✓	
6-42 MA PLUS COMBI TOUCH 7" LIFT DIS 6-43 MA PLUS FOOD TOUCH 7" LIFT DIS		✓		✓	✓	✓
6-42 MA COMBI TOUCH 46"		✓	✓		✓	
6-42 MA COMBI TOUCH 46" LIFT		✓	✓		✓	
6-42 MA PLUS COMBI TOUCH 46" LIFT		✓		✓	✓	
DIMENSION MM	1830H x 1010W x 950D / WEIGHT 290 KG					
FOOD VERSION 43 SEL./351 PROD.		COMBI VERSION 42 SEL./380 PROD.				



A top range with innovative technologies to provide **flexibility and high level of service.**



VISTA L MASTER TOUCH 46"

VISTA L MASTER TOUCH 7"

Interactive Vending.

- Selection interface with touch screen technology multimedia: monitor 7" to replace the alphanumeric keypad or monitor 46" full touch to replace the showcase.
- Appealing and intuitive menu with picture products, descriptions and ingredients for a consumer awareness.
- Digital signage to emphasize the customer experience with the publication of videos, news or special communications.
- Multimedia contents and configuration user friendly thanks to the innovative platform WinConfigTouch of Bianchi, the new Windows application.

Communication and customization.

EXTENSIVE OFFER. The vending menu manages up to 6 families of products grouped by type (beverages, sweet snacks, salty snacks...) or according to their characteristics or food category (gluten-free, vegetarian products, energy products...).

NUTRITIONAL QUALITIES. In each family the user can select the product desired and view all the nutritional information.

CUSTOMIZABLE PROMOTIONS. You can create specific promotions for products making them immediately attractive and selectable.

HIGH QUALITY VIDEO. The LCD technology used in our monitors will accommodate high quality images and promotional or information videos, drawing the user even more powerfully into the consumer experience.



LEI700 PLUS + VISTA L MASTER TOUCH 7"

Technologies.



Powerful lift for the distribution of delicate products.



Electronic tags for displaying prices, descriptions and promotions.